TENDER DOCUMENT FOR PROVISION OF ALUMINIUM PARTITION IN CONSERVATION LAB

AT INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS NEW DELHI

List of documents:

Tender document : Doc. I
 Technical bid : Doc. II
 Declaration : Doc. III
 Financial bid : Doc. IV



INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS, NEW DELHI-110001

Doc. I

INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS

NOTICE INVITING TENDER

Name of Work: PROVISION OF ALUMINIUM PARTITION IN CONSERVATION LAB at INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS, NEW DELHI.

NIT No.: 11/IGNCA/SD/EMU/2018-19

Name of Work : Provision of Aluminium Partition in Conservation Lab,

IGNCA, New Delhi - 110001.

Estimated Cost : Rs. 1,56,084/-

Earnest Money : Rs. 3,122/-(to be returned after receiving

performance guarantee.

Security Deposit : 2.5% of tendered value plus 50% of PG (to be returned

after six months if no defect is noticeable)

Performance Guarantee : 5% of the tendered value of the work (to be

returned after successful completion of work)

Time Allowed : 10 days

Date of release of Tender : 29.06.2018 at 04:00 PM

Last Date and Time of receipt : 03.07.2018 at 03:00 PM

Date and Time of opening of

tender

03.07.2018 at 04:00 PM

The Institute invite tender for above referred work. Only those agencies/ Firms are eligible to quote who are in similar line of work. Submission of details and documentary evidence is compulsory.

- 1. The tender form can be obtained from the Estate Management Unit, Indira Gandhi National Center for the Arts, New Delhi-110001 from **29.06.2018 to 03.07.2018** between **10.00 AM to 03:00 PM** and the tender can also be downloaded from **www.ignca.nic.in.**
- 2. Security Money should be deposited in the form of Demand Draft favoring IGNCA payable at New Delhi is also to be submitted along with tender.

3. Submission of Tender:

The tender to be submitted in two separate envelopes, each sealed and clearly identified as to envelope number and contents as indicated below:

4. Envelope No. 1 shall contain the following:

- a. Form of Tender/Tender documents.
- b. Earnest Money deposit of Rs. 3,122/- in the form of demand draft only in favor of IGNCA payable at New Delhi.
- c. Detail of experience of minimum 03 years in the field of construction work.
- d. Registration detail in any Government department.
- e. Copy of PAN Card issued by Income Tax Department and Registration of Service Tax/VAT/Sales Tax/GST as applicable.
- f. Declaration.
- 5. Envelope No. 2 shall contain only financial bid duly filled in and signed by the tenderer. Price quoted by agency should be all inclusive and shall remain firm and be valid till stipulated contract period.

Tender duly filled in and signed and sealed, addressed shall be dropped in the Tender Box in the office of The Under Secretary, Estate Management Unit, IGNCA, New Delhi-110001 by **03:00PM** of dt.**03.07.2018**.

6. Eligibility conditions (For Bidders):

- 1. The Firm must have an experience of minimum 03 years in the field of construction work, registered contractor CPWD and those of appropriate list of MES, BSNL, Central Govt. department dealing with building and other experienced contractors who satisfy the criteria of execution of similar works i.e. 3 no. works each of value not less than 40% of estimated cost put to tender or 2 no. works each of value not less than 60% of estimated cost put to tender or 1 no. work of value not less than 80% of the estimated cost put to tender the last 7 years ending previous month.
- 2. The Firm must be registered in any Central/State Government Department.
- 7. Tenders received late on account of any reason whatsoever and telegraphic tenders will not be entertained.
- 8. **Similar work means** Building works.

9. Time of Completion of work is 10 days.

- 10. The Institute discourages the stipulation of any condition by the tenders. The conditional tenders will be liable to be rejected.
- 11. **Opening of Tender**: Envelope No. 1 shall be opened at <u>04.00 PM on 03.07.2018</u>. Financial bid will be opened only of those bidders who have qualified as per eligibility criteria in the presence of bidder who will be present.
- 12. The Competent Authority of IGNCA reserves the right to reject any of the lowest quotation without assigning any reason there to.
- 13. No advance payment will be permissible under the Institute's rule.
- 14. Tender will be valid for 30 days.

Terms and Conditions:

- 1. Those of appropriate list of MES, BSNL and other state Govt. Departments dealing with buildings and other experienced contractors who satisfy the criteria of execution of similar works i.e. 3 no. works each of value not less than 40% of estimated cost put to tender or 2 no. works each of value not less than 60% of estimated cost put to tender or 1 no. work of value not less than 80% of the estimated cost put to tender the last 7 years ending previous month.
- 2. Enlistment of the contractors should be valid on the last date of submission of tenders.
- 3. In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 4. Tender documents shall be considered valid of only these contractors who will submit the copies of the following documents along with the tender:
 - a. Earnest Money in the favour of IGNCA, New Delhi.
 - b. Copy of PAN Card issued by Income Tax Department and Registration of Service Tax/VAT/Sales Tax/GST as applicable.
 - c. Valid CPWD registration certificate of appropriate civil/composite category or registration certificate of appropriate list of MES, BSNL, PWD, MCD etc., documents for successfully completion of the work as mentioned in the bid document.
- 5. Similar work means Building works.
- **6.** In case your services are not found satisfactory, this contract can be terminated after issuing short notice and complete security deposit will be forfeited.
- 7. The contractor shall submit an irrevocable **Performance Guarantee of 5% (Five percent)** of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement. The Performance Guarantee shall be initially valid up to the stipulated date of completion plus 60 days beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest. However, in case of contracts involving maintenance of building and services/any other work after construction of same building and services/other work, then 50% of Performance Guarantee shall be retained as Security Deposit. The same shall be returned after three month from the date of completion.
- 8. The person/persons whose tender(s) may be accepted (hereinafter called the contractor) shall permit Government at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 2.5% of the gross amount of each running and final bill till the sum deducted will amount to security deposit of 2.5% of the tendered value of the work. Such deductions will be made and held by Government by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts. In

case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit. The security shall be returned after three months of satisfactory completion of work, subjected to no deflection observe in the wall.

- 9. The bidder shall have to follow all relevant rule in respect of labor for payment of minimum wages and other safety measures.
- 10. No escalation will be given on any ground what so ever may be the reason. The rate quoted in the tender shall remain firm and be valid till the stipulated contract period and should include all charges and Taxes.
- 11. Completion time may be extended by the competent authority if delay is not attributed to the agency.
- 12. Payments will be made after successful completion of the award work, the bills are only be cleared after producing satisfactory report signed by Engineer-in-charge.
- 13. No escalation on account of increase of labor wages or material is admissible.
- 14. No reimbursement is admissible on account of levy of any tax etc.
- 15. Contractor/Bidder shall quote rate inclusive of all taxes and nothing is payable extra on this account.
- 16. All disputes are subject to Delhi jurisdiction only.
- 17. If contractor or his worker damage any property of the IGNCA, the recovery will be made from the contractor.
- 18. If the contractor fails to maintain the required progress or to complete the work and clear the site on or before the contract or extended date of completion, he shall, without prejudice to any other right or remedy available under the law to the Government on account of such breach, pay as agreed compensation the amount calculated at the rates stipulated below as the authority (whose decision in writing shall be final and binding) may decide on the amount of tendered value of the work for every completed day/month (as applicable) that the progress remains below or that the work remains incomplete. This will also apply to items or group of items for which a separate period of completion has been specified.
 - (i) Compensation @ 1.5 % per month of delay for delay of work to be computed on per day basis Provided always that the total amount of compensation for delay to be paid under this Condition shall not exceed 10% of the Tendered Value of work or of the Tendered Value of the item or group of items of work for which a separate period of completion is originally given.

- 19. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When a ladder is used, an extra mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladder and the ladder shall be given an inclination not steeper than ½ to 1(½ horizontal and 1 vertical.)
- 20. Excavation and Trenching All trenches 1.2 m. (4ft.) or more in depth, shall at all times be supplied with at least one ladder for each 30 m. (100 ft.) in length or fraction thereof, Ladder shall extend from bottom of the trench to at least 90 cm. (3ft.) above the surface of the ground. The side of the trenches which are 1.5 m. (5ft.) or more in depth shall be stepped back to give suitable slope or securely held by timber bracing, so as to avoid the danger of sides collapsing. The excavated materials shall not be placed within 1.5 m. (5ft.) of the edges of the trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances, undermining or undercutting shall be done.
- 21. Demolition Before any demolition work is commenced and also during the progress of the work,
 - (i) All roads and open areas adjacent to the work site shall either be closed or suitably protected.
 - (ii) No electric cable or apparatus which is liable to be a source of danger or a cable or apparatus used by the operator shall remain electrically charged.
 - (iii)All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render it unsafe.
- 22. The Contractor shall not employ men and women below the age of 18 years on the work of painting with products containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, the following precaution should be taken:-
 - (a) No paint containing lead or lead products shall be used except in the form of paste or readymade paint.
 - (b) Suitable face masks should be supplied for use by the workers when paint is applied in the form of spray or a surface having lead paint is dry rubbed and scrapped.
 - (c) Overalls shall be supplied by the contractors to the workmen and adequate facilities shall be provided to enable the working painters to wash during and on the cessation of work.
- 23. The contractor shall treat all materials obtained during dismantling of a structure, excavation of the site for a work, etc. as Government's property and such materials shall be disposed off to the best advantage of Government according to the instructions in writing issued by the Engineer-in-Charge.
- 24. The contractor shall comply with all the provisions of the Minimum Wages Act, 1948, and Contract Labour (Regulation and Abolition) Act, 1970, amended from time to time and rules framed thereunder and other labour laws affecting contract labour that may be brought into force from time to time.
- 25. Scaffolding of staging more than 3.6 m (12ft.) above the ground or floor, swung or suspended from an overhead support or erected with stationary support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm. (3ft.) high above the floor or platform of such scaffolding or staging and extending along the entire

- length of the outside and ends there of with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
- **26.** Working platforms, gangways and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6 m (12ft.) above ground level or floor level, they should be closely boarded, should have adequate width and should be suitably fastened as described in (2) above.
- 27. Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of person or materials by providing suitable fencing or railing whose minimum height shall be 90 cm. (3ft.).
- 28. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9m. (30ft.) in length while the width between side rails in rung ladder shall in no case be less than 29 cm. (11½") for ladder upto and including 3 m. (10 ft.) in length. For longer ladders, this width should be increased at least ¼" for each additional 30 cm. (1 foot) of length. Uniform step spacing of not more than 30 cm shall be kept. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites or work shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The contractor shall provide all necessary fencing and lights to protect the public from accident and shall be bound to bear the expenses of defence of every suit, action or other proceedings at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit; action or proceedings to any such person or which may, with the consent of the contractor, be paid to compensate any claim by any such person.
- **29.** These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent place at work spot. The person responsible for compliance of the safety code shall be named therein by the contractor.
- 30. In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above/ below quoted contract amount.

Technical Bid

Doc - II

The technical bid shall contain following information in a sealed cover super scribed "Technical Bid for Provision of Aluminium Partition in Conservation Lab, IGNCA". It shall consist of the following documents/information:

1	Name	
	Address	
	Set up	
	Status of organization	
2	Contact person with telephone	
3	Details of experience of	
	minimum 03 years in the field	
	of construction work.	
4	Details of PAN card and GST	
	of the Company	
	(copy to be attached)	
5	Details of registration with	
	Various Government bodies.	
	D. H. C. C. C.	E AM D 6
6	Details of payment of Earnest	Earnest Money Draft:
	Money Draft:	DD.No
	In the form of Demand Draft	dt
7	List of Clients	

A General undertaking that all terms and conditions of this Tender Document are acceptable in the format given in Doc. IV to this document.

Tender documents duly signed in all pages with seal.

Name :
Designation:
Company with Seal:
Address:

Envelope - 1

Doc – III

DECLARATION REGARDINGACCEPTANCE OF TERMS & CONDITIONS CONTAINEDIN THE TENDER DOCUMENT

To

The Under Secretary, Estate Management Unit, Indira Gandhi National Center for the Arts, New Delhi-110001

Sir,

I have carefully gone through the Terms and Conditions contained in the Tender Document of the provision of Aluminium Partition in Conservation Lab at Indira Gandhi National Center for the Arts, New Delhi-110001. I hereby declare that all the provisions of this Tender Document are acceptable to my Company. I further certify that I am an authorized signatory of my company and therefore competent to make this declaration.

I hereby declare that all the stated facts are true and correct to the best of my information, knowledge and belief.

Name:
Designation:
Company with Seal:
Address:

Envelope - 2 Doc - IV

Financial Bid

Sub :- Tender for the provision of Aluminium Partition in Conservation Lab at Indira Gandhi National Centre for the Arts, New Delhi – 110001.

S.No.	Description	Quantity	Unit	Rates	Amount	DSR 2016
1.	Providing and fixing aluminum work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately):					
a.	For fixed portion					
b.	Powder coated aluminium (minimum thickness of powder coating 50 micron)	96	Kg			
2.	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick					
a.	Float glass panes					
b.	5.5 mm thick glass panes	13	Sqm			
3.	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc.to be paid separately).	16.34	Sqm			
4.	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS: 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box					

	with slide plate etc. complete as per the direction of Engineer-in-charge.				
a.	With brass cover plate minimum 1.25 mm thickness	2	Each		
5.	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:				
a.	150x10 mm	4	Each		
6.	Providing and fixing aluminium tubular handle bar 32 mm outer dia, 3.0 mm thick & 2100 mm long with SS screws etc complete as per direction of Engineer-in-Charge.				
a.	Anodized (AC 15) aluminium tubular handle bar	4	Each		
7.	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making	2	Each		
	good etc. complete. Total				
		- 042 749/			
	Cost Index as per CPWD Rate	e @12./4%			
	Grand Total				
	SAY				

Name:
Designation:
Company with Seal:
Address: