

IGNCA/SRC/2.120/2014

INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS
SOUTHERN REGIONAL CENTRE
Kengunte Circle, Mallathahalli, Jnanabharati Post, BENGALURU – 560056.

Tender / Quotation No. 02

Bengaluru, the 11th May, 2015

NOTICE INVITING TENDER

FOR

**SUPPLY & INSTALLATION OF LIGHTINGS FOR EXHIBITION
GALLERY AT IGNCA SRC**

(i)	Name of Work	Supply & Installation of Lightings for Exhibition Gallery at IGNCA SRC
(ii)	Cost of Tender document	Rs. 250/- (Rupees Two hundred fifty only)
(iii)	EMD	Rs. 60,000/- (Rupees Sixty thousand only)
(iv)	Last date of issue of tender form	25.05.2015 (Monday) till 4:00 PM
(v)	Last date for submission of tender	26.05.2015 (Tuesday) till 3:00 PM
(vi)	Date of opening of Technical & Financial Bids	26.05.2015 (Tuesday) at 4:00 PM
(vii)	Period of completion of work	30 days from the date of award of work

IGNCA/SRC/2.120/2014

INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS

SOUTHERN REGIONAL CENTRE

Kengunte Circle, Mallathahalli, Jnanabharati Post, BENGALURU – 560056.

Tender / Quotation No. 02

Bengaluru, the 11th May, 2015

**Name of Work: Supply & Installation of Lightings for Exhibition Gallery at
IGNCA SRC**

1. Sealed item rate tenders in two parts: (1) Technical Bid plus EMD and (2) Financial Bid are invited on behalf of Indira Gandhi National Centre for the Arts, Southern Regional Centre, Bengaluru for above named work. The tender shall be addressed to “The Executive Director” IGNCA SRC, Kengunte Circle, Mallathahalli, Jnanabharati Post, Bengaluru – 560056 and submitted latest by **26th May, 2015 (Tuesday)** till **3:00 PM** and will be opened on same day i.e. **26th May, 2015 (Tuesday)** at **4:00 PM**. **Tenders received after the due date/time will not be accepted.** The envelope will be superscribed with Tender No. and Name of Work.
2. Amount of Earnest money will be Rs. 60,000.00 (Rupees Sixty thousand only) in the form of Demand Draft / Pay Order in favor of “**INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS, BENGALURU**”.
3. Cost of tender document: Rs. 250/- (Two Hundred and fifty only).
4. If tender document downloaded from website Rs. 250/- should be deposited by way of DD/PO in favor of “**INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS, BENGALURU**” along with Quotation.

IGNCA/SRC/2.120/2014

INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS

SOUTHERN REGIONAL CENTRE

Kengunte Circle, Mallathahalli, Jnanabharati Post, BENGALURU – 560056.

SECTION – 1

TECHNICAL BID

**Name of the Work: Supply & Installation of Lightings for Exhibition Gallery at
IGNCA SRC**

A) Company Profile

1. Name of the Company	
2. Address	
3. Telephone Nos.	
4. Fax Nos.	
5. Email ID	
6. Year of Commencement of Company	
7. PAN No. (Copy of the PAN should be attached)	
8. Details of Experience	
9. Earnest Money Deposit (EMD)	Rs.
10. Draft No. & Date	
11. Name of the Bank	

Note – 1: Earnest money deposit should be enclosed with the Technical Bid only. Demand Drafts and Pay Orders in favor of “**Indira Gandhi National Centre for the Arts, Bengaluru**” are only acceptable. No cash/cheque will be received.

Note – 2: The profile should be enclosed with Technical Bid.

Note – 3: Tender received without EMD will be rejected.

B) The sealed cover of Technical Bid should contain the following documents:

1. EMD for an amount of Rs. 60,000.00 (Rupees Sixty thousand only) in the form of Demand Draft / Pay Order in favor of **“INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS, BENGALURU”**.
2. Self attested copy of PAN Card under Income Tax Act.
3. Self attested copy of Service Tax registration number.
4. Proof of average annual turnover supported by audited balance sheet.
5. Proof of experience supported by documents for similar work.

INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS

Southern Regional Centre, Bengaluru – 560056.

SECTION – 2FINANCIAL BID

Sl. No.	Description of Product	Preferred makes	Unit	Unit Rate	Qty	Amount
01	SITC of LED Track light 15W 3000K with Power : 15W, Protection : (IP Rating) : IP 20 Track light body material : Die cast aluminum body, Heat sink : Max 4 inches, Track Light Painting detail : White colour Stoving varnish with wet paint finishing. Overall max size : L215*H180*W74 MM, Reflector type : Ellipsoidal reflector spotlight Beam angle : 18 ⁰ , LED Brand : CREE COB CXA1512, LED Life : 50,000 Hours, Power factor : > 0.95, Tolerance : maintains ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements, Lux level at 2 mtr distance : 900lm, CRI : > 90, CCT : 3000K, Weight : 0.6 Kg, Rotation angle : Horizontal 0 - 355 ⁰ and vertical 0 - 95 ⁰ , Track light fixing arrangement : Supported to 3 wire track	CANARA, PHILIPS and OSRAM	Nos.		28	
02	SITC of LED Track light 15W 4000K with Power : 15W, Protection : (IP Rating) : IP 20 Track light body material : Die cast aluminum body, Heat sink : Max 4 inches, Track Light Painting detail : White colour Stoving varnish with wet paint finishing. Overall max size : L215*H180*W74 MM, Reflector type : Ellipsoidal reflector spotlight Beam angle : 18 ⁰ , LED Brand : CREE COB CXA1512, LED Life : 50,000 Hours, Power factor : > 0.95, Tolerance : maintains ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements, Lux level at 2 mtr distance : 900lm, CRI : >90, CCT : 4000K, Weight : 0.6 Kg, Rotation angle : Horizontal 0 - 355 ⁰ and vertical 0 - 95 ⁰ , Track light fixing arrangement : Supported to 3 wire track	CANARA, PHILIPS and OSRAM	Nos.		28	
03	SITC of LED Track light 15W 4000K with Power : 15W, Protection : (IP Rating) : IP 20 Track light body material : Die cast aluminum body, Heat sink : Max 4 inches, Track Light Painting detail : White colour Stoving varnish with wet paint finishing. Overall max size : L215*H180*W74 MM, Reflector type : Ellipsoidal reflector spotlight Beam angle : 22 ⁰ , LED Brand : CREE COB CXA1512, LED Life : 50,000 Hours, Power factor : > 0.95, Tolerance : maintains ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements, Lux level at 2 mtr distance : 900lm, CRI : >90, CCT : 4000K, Weight : 0.6 Kg, Rotation angle : Horizontal 0 - 355 ⁰ and vertical 0 - 95 ⁰ , Track light fixing arrangement : Supported to 3 wire track	CANARA, PHILIPS and OSRAM	Nos.		38	

04	SITC of LED Track light 15W 4000K with Power : 15W, Protection : (IP Rating) : IP 20 Track light body material : Die cast aluminum body, Heat sink : Max 4 inches, Track Light Painting detail : White colour Stoving varnish with wet paint finishing. Overall max size : L215*H180*W74 MM, Reflector type : Ellipsoidal reflector spotlight Beam angle : 48 ⁰ , LED Brand : CREE COB CXA1512, LED Life : 50,000 Hours, Power factor : > 0.95, Tolerance : maintains ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements, Lux level at 2 mtr distance : 900lm, CRI : >90, CCT : 4000K, Weight : 0.6 Kg, Rotation angle : Horizontal 0 - 355 ⁰ and vertical 0 - 95 ⁰ , Track light fixing arrangement : Supported to 3 wire track	CANARA, PHILIPS and OSRAM	Nos.		78	
05	SITC of LED Track light 30W 3000K with Power : 30W, Protection : (IP Rating) : IP 20 Track light body material : Die cast aluminum body, Heat sink : Max 6 inches, Track Light Painting detail : White colour Stoving varnish with wet paint finishing. Overall max size : L240*H260*W130, Reflector type : Ellipsoidal reflector spotlight Beam angle : 48 ⁰ , LED Brand : CREE COB CXA1512, LED Life : 50,000 Hours, Power factor : > 0.95, Tolerance : maintains ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements, Lux level at 2 mtr distance : 900lm, CRI : >90, CCT : 3000K, Weight : 1.5 Kg, Rotation angle : Horizontal 0 - 355 ⁰ and vertical 0 - 95 ⁰ , Track light fixing arrangement : Supported to 3 wire track	CANARA, PHILIPS and OSRAM	Nos.		22	
06	SITC of LED Track light 30W 4000K with Power : 30W, Protection : (IP Rating) : IP 20 Track light body material : Die cast aluminum body, Heat sink : Max 4 inches, Track Light Painting detail : White colour Stoving varnish with wet paint finishing. Overall max size : L240*H260*W130, Reflector type : Ellipsoidal reflector spotlight Beam angle : 48 ⁰ , LED Brand : CREE COB CXA1512, LED Life : 50,000 Hours, Power factor : > 0.95, Tolerance : maintains ±7% on flux and power measurements, ±0.005 on chromaticity (CCx, CCy) measurements and a tolerance of ±2 on CRI measurements, Lux level at 2 mtr distance : 900lm, CRI : >90, CCT : 4000K, Weight : 1.5 Kg, Rotation angle : Horizontal 0 - 355 ⁰ and vertical 0 - 95 ⁰ , Track light fixing arrangement : Supported to 3 wire track	CANARA, PHILIPS and OSRAM	Nos.		22	
07	SITC of 1 Mtr aluminum 4 wire track patti, Includes end cap and live end, Paint : white colour stoving varnish with wet paint finishing, Overall max size : 1000mmx35mmx17mm	CANARA, PHILIPS and OSRAM	Nos.		90	
08	SITC of 1.5 Mtr aluminum 4 wire track patti, Includes end cap and live end, Paint : white colour stoving varnish with wet paint finishing, Overall max size : 1500mmx35mmx17mm	CANARA, PHILIPS and OSRAM	Nos.		14	
09	SITC of 2 Mtr aluminum 4 wire track patti, Includes end cap and live end, Paint : white colour stoving varnish with wet paint finishing, Overall max size : 2000mmx35mmx17mm	CANARA, PHILIPS and OSRAM	Nos.		12	
10	SITC of I connectors for the 4 wire tracks, Colour : White	CANARA, PHILIPS and OSRAM	Nos.		116	

11	SITC of L connectors for the 4 wire tracks, Colour : White	CANARA, PHILIPS and OSRAM	Nos.		20	
12	SITC of T connectors for the 4 wire tracks, Colour : White	CANARA, PHILIPS and OSRAM	Nos.		12	
13	SITC of (+) cross connectors for the 4 wire tracks	CANARA, PHILIPS and OSRAM	Nos.		08	
14	SITC of 3 MM dia GI rope (safety bond). It should withstand min weight of 50 Kg.		Mtrs.		130	
15	SITC of GI Safety Bond Hook. Inner dia : 35 - 40 mm. It should withstand min weight of 50 Kg.		Nos.		60	
16	SITC of AL. SPACER 9 MM OD X 6.0 MM ID X 15 MM HEIGHT		Nos.		120	
17	SITC of MS T BOLT M10 YP		Nos.		30	
18	SITC of MS PLAIN WASHER 10.5 x 25 x 2 YP		Nos.		60	
19	SITC of MS HEX NUT M10 YP		Nos.		60	
20	SITC of PVC Copper unarmoured flexible FRLS insulated multicore cable 1100V grade confirming to IS694 size 3cx2.5 sq mm	SBEE, POLY CAB, FINOLEX	Mtrs.		350	
21	SITC of PVC Copper armoured multistrand flexible cable 3.5 core x 25 sq mm main incommer cable	SBEE, POLY CAB, FINOLEX	Mtrs.		50	
22	SITC of 12 Way direct lighting distribution board with a TPN of 16A and 10A Single pole individual MCB's	CANARA, SIEMENS, HAVELLS	Nos.		01	
23	SITC of MS Junction box duly powder coated with black finish texture finish 4 way 10A IEC Socket along with the suitable glands	CANARA, SCHNEIDER, L & T	Nos.		01	
24	Any other item/work required for completeness of the job. With break-up details					
25	Taxes if any					
GRAND TOTAL						

(Rupees
..... only)

TERMS & CONDITIONS:

1. Tenderer should ensure that the Tender is received before the date and time as specified.
2. The Tender shall be signed stamped in each page and submitted in a sealed envelope by the Contractor/Firm.
3. The Tenderers shall have to submit EMD of Rs. 60,000/- (Rupees Sixty thousand only) by way of Demand Draft / Pay Order in favour of **“Indira Gandhi National Centre for the Arts” Payable at Bengaluru.**
4. The EMD will be refunded to unsuccessful bidders within a month of opening of Tender and no interest will be paid on it. The EMD for the successful bidder will be released only after three months from satisfactory completion of work.
5. All the quantities shown are approximate figures. The tenderers are requested to quote the rate after visiting the site and assessment made at site on any working day between 9:30 AM to 5:30 PM.
6. The rates should be given in figures and words and will be inclusive of all taxes and cartage etc. Nothing extra shall be paid on any account.
7. The rates quoted by the Tenderers shall be valid for acceptance for a period of three months (90 days) from the date of opening of the Tender.
8. All Corrections / Over writing wherever filling Tenders must be initial by the Tenderer.
9. The Conditional Tenders will not be accepted.
10. IGNCA SRC reserves the right to reject or accept any Tender without assigning any reason. Decision of IGNCA SRC in this regard, will be final and binding to the Contractors / Firms.
11. The materials to be used in the work shall be got approved from the authorities of IGNCA SRC, Bengaluru.
12. The Contractor shall acquainted himself with the site conditions and make his own arrangements for storage of materials at site. No materials and men power shall be supplied by the IGNCA SRC.
13. The Contractor shall make their own arrangements for Scaffolding/Ladder required during the work.
14. During the time of execution of work the Contractor will be fully responsible for any injury or accident to any person(s) employed by them, to the residents and for any damage to any structure or any part of the property which may arise due to operation / negligence of the Contractor of its workers.

15. If any extra item is required to be executed during the execution of work a prior approval for the same has to be taken by the Contractor from the Competent Authority, IGNCA. If the work of extra items shall be carried out without obtaining any approval from the Competent Authority, the same shall not be paid to the Contractor / Firm.
16. **TDS:** Income Tax @ 2% (two percent) and Electricity charges @ 1% (one percent) shall be deducted from the gross amount of Contractor's Bill.
17. The Tender forms can be taken from the IGNCA SRC office for a document fee of Rs. 250/- or can be downloaded from IGNCA Website (www.ignca.nic.in). If downloaded from website Rs. 250/- should be deposited by way of DD/PO in favor of **“INDIRA GANDHI NATIONAL CENTRE FOR THE ARTS, BENGALURU”** along with Tender.
18. After completion of work the Contractor shall submit the bill in duplicate, giving complete description of items of work done strictly as per Bill / Schedule of Quantities. Full and Final payment shall be made on completion of work satisfactorily.
19. The payment will be made as per actual quantity only.
20. Completion Period: 30 (Thirty) days from the date of issuance / receipt of Work Order.